



**Still Lost in Translation**  
Scott D. Krugman  
*Hospital Pediatrics* 2014;4:31  
DOI: 10.1542/hpeds.2013-0097

The online version of this article, along with updated information and services, is located on the World Wide Web at:  
<http://hosppeds.aappublications.org/content/4/1/31>

Hospital Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 2012. Hospital Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2014 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 2154-1663.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



# Still Lost in Translation



¿Habla español? Bạn có nói tiếng việt? If you don't, then make sure you bring the interpreter into that patient's room. Not only is it likely your hospital's policy and a Joint Commission requirement,<sup>1</sup> but it's also good medical care. The pediatric literature over the past few decades has highlighted the importance of quality interpretation for Limited English Proficient (LEP) patients to provide quality care. For a decade, Glen Flores has pointed out the health risks associated with not speaking English.<sup>2</sup> Poor outcomes such as disparities in care, adverse events, readmissions and medical errors all can complicate a hospitalization of a patient with LEP. In this month's *Hospital Pediatrics*, researchers from Seattle Children's add to the growing literature of challenges faced by LEP patients in the hospital.

Ebel et al in the first article highlight a new methodology for capturing LEP patients. Using "capture-recapture" methodology, the researchers were able to identify hospitalized patients who were not screened positive for requiring language services.<sup>3</sup> While your average pediatric hospitalist won't be implementing this methodology on a daily basis, this strategy could be employed as a performance improvement (PI) initiative to assure that your hospital is meeting its obligatory requirements to provide culturally competent care to LEP patients.

In a companion article from the same group, the consequences of LEP patients and inadequate translation become apparent. Only one third of the LEP post-operative patients at Seattle Children's received interpretive services at least twice a day and LEP patients were had significantly higher levels of pain prior to receiving an opioid.<sup>4</sup> The authors conclude "it is likely that consistent use of interpreters enhanced the overall communication of patients, families and healthcare providers and improved the evaluation and treatment of each child's pain." This study adds to the already robust literature of adverse outcomes of post-operative pain control in LEP adults and the previously noted literature in pediatrics.

Taken together, these articles highlight that even in a well-resourced, top-10 Children's Hospital with doctors with the best intentions, we are still missing opportunities to provide interpretive services to LEP patients. Since recent immigrants may deny the need for interpreters due to embarrassment, shame or misunderstanding, or feel that their children are able to speak English well enough, this work highlights the responsibility of the pediatric hospitalist to assure quality care and err on the side of using all available resources for interpretation and to do in a culturally competent manner.

The real question is – why do we need to keep doing these studies? How many more studies need to highlight our inability to provide the same standard of care

## AUTHOR

Scott D. Krugman, MD, MS, FAAP

*Chairman, Department of Pediatrics, MedStar Franklin Square Medical Center*

www.hospitalpediatrics.org  
doi:10.1542/hpeds.2013-0097

HOSPITAL PEDIATRICS (ISSN Numbers: Print, 2154 - 1663; Online, 2154 - 1671).

Copyright © 2014 by the American Academy of Pediatrics

to LEP patients as English speaking patients? Hopefully not many more. In 2007 Karliner et al published a systematic review demonstrating that professional interpreters improve clinical care in LEP patients,<sup>5</sup> yet we still struggle to implement this simple intervention. Perhaps the next wave of studies ought to be PI projects that reduce barriers to use of interpretive services, or incorporate them into rounds, or integrate them into the health care delivery team. The time has come to move from identification of the problem to implementation of the solution.

In the mean time, some advice to pediatric hospitalists – use a professional interpretive service (or become one on

your own....). Yes, logistically this is a challenge. Yes, your family centered rounds will take a little longer. Yes, it can feel impersonal talking into a phone. But a small amount of hospitalist inconvenience pales in comparison with the alternative of not adequately treating pain, misdiagnosing a condition secondary to not understanding the history, or causing harm through a medical error. I'll stick with the inconvenience thank you.

## REFERENCES

1. Joint Commission. New and Revised Standards & EPs for Patient-Centered Communication: The Joint Commission; 2010 Effective Jan 1, 2011.
2. Flores G. Language barriers to health care in the United States. *N Engl J Med*. 2006;355(3):229-231.
3. Ebel BE, Boscolo-Hightower A, Rafton S, Tolman M, and Zhou C. Identifying Families with Limited English Proficiency Using a Capture-Recapture Approach. *Hospital Pediatrics*. 2014;4(1):16-22.
4. Jimenez N, Jackson D, Zhou C, Ayala N, and Ebel BE. Postoperative Pain Management in Children, Parental English Proficiency, and Access to Interpretation. *Hospital Pediatrics*. 2014;4(1):23-30.
5. Karliner LS, Jacobs EA, Chen AH, Mutha S. Do professional interpreters improve clinical care for patients with limited English proficiency? A systematic review of the literature. *Health Serv Res*. 2007;42(2):727-754.

**Still Lost in Translation**  
Scott D. Krugman  
*Hospital Pediatrics* 2014;4:31  
DOI: 10.1542/hpeds.2013-0097

**Updated Information & Services**

including high resolution figures, can be found at:  
<http://hosppeds.aappublications.org/content/4/1/31>

**References**

This article cites 4 articles, 2 of which you can access for free at:  
<http://hosppeds.aappublications.org/content/4/1/31#BIBL>

**Permissions & Licensing**

Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at:  
<http://hosppeds.aappublications.org/site/misc/Permissions.xhtml>

**Reprints**

Information about ordering reprints can be found online:  
<http://hosppeds.aappublications.org/site/misc/reprints.xhtml>

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

